

ADAPTER KIT FOR ADAPTING REGIN'S ACTUATORS TO VALVES OF OTHER BRANDS



OVA-131

ABS, VADSTENA, VM (SHUNTMASTER)

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
SV...25	25 mm	20 mm	RVAN5...	OVA-131	
SV...27	25 mm	20 mm	RVAN5...	OVA-131	
SV...33	32 mm	20 mm	RVAN5...	OVA-131	
SV...35	32 mm	20 mm	RVAN5...	OVA-131	
SV...36	32 mm	20 mm	RVAN5...	OVA-131	
SV...47	40 mm	20 mm	RVAN5...	OVA-131	
SV...54	50 mm	40 mm	RVAN18...	OVA-031	
SV...55	50 mm	40 mm	RVAN18...	OVA-031	
SV...56	50 mm	40 mm	RVAN18...	OVA-031	
SV...62	65 mm	40 mm	RVAN18...	OVA-031	
SV...65	65 mm	40 mm	RVAN18...	OVA-031	
SV...66	65 mm	40 mm	RVAN18...	OVA-031	
SV...67	65 mm	40 mm	RVAN18...	OVA-031	



OVA-031



OVA-A1

ARI ARMATUREN

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
485-489	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
485-489	65–100 mm	20–30 mm	RVAN18.../RVNA25...	OVA-A2	
485-489	40–50 mm	14 mm	RVAN18	OVA-A3	



OVA-A2

BELIMO

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
H4	15–50 mm	15 mm	RVAN5.../RVAN10...	OVA-015	
H5	15–50 mm	15 mm	RVAN5.../RVAN10...	OVA-015	
H6	15–50 mm	15 mm	RVAN5.../RVAN10...	OVA-015	
H6	65 mm (kvs 58)	18 mm	RVAN10...	OVA-015	
H7	15–50 mm	15 mm	RVAN5.../RVAN10...	OVA-015	
H7	65 mm (kvs 58)	18 mm	RVAN10...	OVA-015	
H7	80 mm (kvs 90)	18 mm	RVAN10...	OVA-015	



OVA-A3

CONTROLLI

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VSB	15–50 mm	16.5 mm	RVAN5.../RVAN10...	OVA-141	
VMB	15–50 mm	16.5 mm	RVAN5.../RVAN10...	OVA-141	



OVA-015



OVA-141



OVA-020

DANFOSS

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
(H)VF2/(H)VF3	15–50 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
(H)VL2/(H)VL3	15–50 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
(H)VRB2/(H)VRB3	15 mm	10 mm	RVAN5...	OVA-020	
(H)VRB2/(H)VRB3	20–50 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
(H)VRG2/(H)VRG3	15 mm	10 mm	RVAN5...	OVA-020	
(H)VRG2/(H)VRG3	20–50 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
(H)VFS2	15–25 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
VR2/VR3	15–25 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
AB-QM	10–20 mm	2,3 mm	RVAPC...	No adapter needed	
AB-QM	25–32 mm	4.5 mm	RVAPC...	No adapter needed	



OVA-131

ESBE



OVA-F4

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VLF125	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLF135	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLF335	65–80 mm	20 mm	RVAN18.../RVAN25...	OVA-F4	
VLA121	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA221	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA131	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA325	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA325	65–150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4	
VLB225	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLB225	65–150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4	
VLA335	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA335	65–150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4	
VLB235	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLB235	65–150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4	
VLA425	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLE122	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLE132	15–50 mm	20 mm	RVAN.../RVAN10...	OVA-131	
VLE222	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLE325	20–40 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLC125	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLC225	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLC325	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLC425	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FC	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL3FC	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2TA	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2TAA	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL3TA	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FA	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FAA	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL3FA	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2TB	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2TBA	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL3TB	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FD	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FDA	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	

GEAMATIC



OVA-161

Article	Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
Geomatic	V121G (M6 threaded stem)	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-161	

HONEYWELL



OVA-011



OVA-013



OVA-171

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
V5011R	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5013A	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5013F	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5013R	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5015A	100–150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5329C	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5329A	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5016A	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5016A	100–150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5025A	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5025A	100–150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5049A	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5049A	100–150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5050A	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5050A	100–150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5328A	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V176A	15 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V176B	20–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V176B	100 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V538C6xxx	50–150 mm	27–40 mm	RVAN18.../RVAN25...	OVA-013	
V538C3xxx	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V186	15 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V186	20–80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V186	100 mm	38 mm	RVAN18.../RVAN25...	OVA-013	

IMI HYDRONICS

Article	Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
KTM512	KTM512	15–50 mm	10 mm	RVAN5...	OVA-171	

INDUSTRIETECHNIK



OVA-J1

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VFX	15–20 mm (up to kvs 2.5)	2,5 mm	RVAPC...	No adapter needed	

JOHNSON



OVA-A1

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VG7201/VG7203	25–32 mm	13 mm	RVAN5.../RVAN10...	OVA-J1	
VG7201/VG7203	40–50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
VG7401/VG7403	25–32 mm	13 mm	RVAN5.../RVAN10...	OVA-J1	
VG7401/VG7403	40–50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
VG7802/VG7804	25–32 mm	13 mm	RVAN5.../RVAN10...	OVA-J1	
VG7802/VG7804	40–50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
BM-2xx2	15–50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
BM-2xx8	15–50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
VG6210	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
VG6510	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
VG6810	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
V5210	10–20 mm	4 mm	RVAPC...	No adapter needed	
V5510	10–20 mm	3,7 mm	RVAPC...	No adapter needed	
V5810	10–20 mm	3,7 mm	RVAPC...	No adapter needed	



OVA-A2



The OVA-J1 adapter applies to valves with a M28x1,5 neck and a 1/4" UNF-28 threaded stem.

KIEBACK UND PETER



OVA-082

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
RF	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
RF	65–100 mm	20–30 mm	RVAN18.../RVAN25...	OVA-A2	
RK	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
RK	65–100 mm	20–30 mm	RVAN18.../RVAN25...	OVA-A2	



OVA-031

L&G, L&S, SIEMENS VALVES

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VFF31 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF32 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF33 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF34 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF35 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF36 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFG31 (VARISHUNT)	25–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG32 (VARISHUNT)	25–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG33 (VARISHUNT)	25–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG34 (VARISHUNT)	25–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG35 (VARISHUNT)	25–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG36 (VARISHUNT)	25–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VPF52E	15–40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	



OVA-134



OVA-081



OVA-081



OVA-082



OVA-134



OVA-L1

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VVF52F	15–40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF21	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF21	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF22	25–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF22	25–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF22 (until 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF22 (from 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF31	25–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF31	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF32	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF32	15–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF32 (until 2015-10)	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF32 (from 2015-10)	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF40	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF40	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF41	50–150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082	
VVF42	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF42	15–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF42 (until 2015-10)	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF42 (from 2015-10)	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF42...K	50–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF42...K	50–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF42...K	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF43	65–250 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF45	50–150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082	
VVF51	15–40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF52	15–40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF53	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF53	15–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF53	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF53...K	50–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF53...K	50–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF53...K	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF53...K	200–250 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF61	15–25 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF61	40–150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082	
VVG11 (VARIVALVE)	15 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVG11	20–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VVG12 (VARIVALVE)	25–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VXF21	25–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF21	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF22	25–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF22	25–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF22 (until 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF22 (from 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF31	25–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF31	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF32	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF32	15–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF32 (until 2015-10)	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF32 (from 2015-10)	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	



OVA-081



OVA-082



OVA-134



OVA-L1

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VXF40	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF40	100–150 mm	10 mm	RVAN18.../RVAN25...	OVA-082	
VXF41	15–40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF41	50–150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF42	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF42	15–80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF42 (until 2015-10)	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF42 (from 2015-10)	100–150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF43	65–250 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF53	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF61	15–25 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF61	40–150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082	
VVG41	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXG11 (VARIVALVE)	15 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VXG11	20–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VXG12 (VARIVALVE)	25–40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VXG41	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXG44	15–50 mm	5.5 mm	RVAZ4L1	OVA-L1	
VVG44	15–40 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVG549	15–25 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVI52	15 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVG55	15–25 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVP45	10–40 mm	5,5 mm	RVAZ4L1...	OVA-L1	
VXP45	10–40 mm	5,5 mm	RVAZ4L1...	OVA-L1	
VMP43	15–20 mm	5,5 mm	RVAZ4L1...	OVA-L1	
VMP45	10–40 mm	5,5 mm	RVAZ4L1...	OVA-L1	
VVI46	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
VXI46	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
VVS46	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
VXS46	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
VVP47	10–20 mm	2,5 mm	RVAPC...	No adapter needed	
VXP47	10–20 mm	2,5 mm	RVAPC...	No adapter needed	
VMP47	10–20 mm	2,5 mm	RVAPC...	No adapter needed	

LDM

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
RV 111/T	15–40 mm	5.5 mm	RVAZ4L1...	OVA-L1	
RV 111/W	15–40 mm	5.5 mm	RVAZ4L1...	OVA-L1	
RV 111/F	15–40 mm	5.5 mm	RVAZ4L1...	OVA-L1	

OSBY VALVES (OAB)



OVA-F1



OVA-F2



OVA-121



OVA-F3

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
2SAS, 2SBS, 2SAM, 2SBM	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
2SBS, 2SBM	100 mm	38 mm	RVAN18...	OVA-F2	
NTVS	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
NTVS	100–150 mm	38, 40 mm	RVAN18.../RVAN25...	OVA-F2	
CVFS	20–65 mm	32 mm	RVAN18...	OVA-F2	
GTVS, GTRS	32–40 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
GTVS, GTRS	50–150 mm	24–40 mm	RVAN18.../RVAN25...	OVA-F2	
ETVS, ETVSU, ETRS, ETRSU	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
FRS, FRSD	15–65 mm (kvs 0.6–6.3)	20 mm	RVAN5.../RVAN10...	OVA-F1	
FRS	32–65 mm (kvs 10–20)	20 mm	RVAN18...	OVA-F2	
MRT	20–25 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
MTVS, MTRS	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
STR, STV	15–50 mm	15 mm	RVAN5.../RVAN10...	OVA-121	
NMTV, NMTR	15–20 mm	20 mm	RVAN5.../RVAN10...	OVA-121	
MMV, MMR	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
BTV	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3 + 2921451401	
BTR	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3	
MMVA	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3	

OLD OSBY VALVES WITH 3/8" UNF THREAD ON THE STEM



OVA-132



OVA-133

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
2SA/2SB	15–80 mm	20 mm	RVAN5.../RVAN10...	OVA-132	
2SB	100 mm	38 mm	RVAN18...	OVA-133	
CVF	20–65 mm	32 mm	RVAN18...	OVA-133	
GTR/GTV	25–50 mm	20–24 mm	RVAN5.../RVAN10...	OVA-132	
GTR/GTV	65–150 mm	40 mm	RVAN18.../RVAN25...	OVA-133	
MTR/MTV	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-132	

OVENTROP

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
Cocon 2TZ	15–20 mm	2,5 mm	RVAPC...	No adapter needed	
Cocon QTZ	10–32 mm	2,8 / 3,5 / 4 mm	RVAPC...	No adapter needed	
Tri-M Plus	15 mm	2,5 mm	RVAPC...	No adapter needed	



VA7010

PETTINAROLI

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
91-series	15–25 mm	3 mm	RVAPC...	VA7010	
93-series	20–32 mm	6 mm	RVAPC...	VA748X	



VA748X

REGIN

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VTTV/VTTR/VTTB	15–20 mm (up to kvs 2.5)	2,5 mm	RVAPC...	No adapter needed	

RICCIUS + SOHN



OVA-H1



OVA-H2



OVA-133



OVA-132



OVA-151

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
RGV2	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1	
RGV3	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1	
HMVF2	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1	
HMVF2	65–100 mm	20–30 mm	RVAN18.../ RVAN25...	OVA-H2	
HMVF3	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1	
HMVF3	65–100 mm	20–30 mm	RVAN18.../ RVAN25...	OVA-H2	
RGVA2	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
RGVA3	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
HMVFA2	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
HMVFA2	65–100 mm	20–30 mm	RVAN18.../ RVAN25...	OVA-A2	
HMVFA3	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
HMVFA3	65–100 mm	20–30 mm	RVAN18.../ RVAN25...	OVA-A2	

SATCOWELL

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
SVB-XXX-F3	50–150 mm	23–40 mm	RVAN18.../RVAN25...	OVA-133	
SVG-XXX-F3	50–150 mm	23–40 mm	RVAN18.../RVAN25...	OVA-133	
SVR-XXX-F3	50–150 mm	23–40 mm	RVAN18.../RVAN25...	OVA-133	
SVR-G2	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-132	
SVR-G3	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-132	
VZ, MVZ	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-132	
VZF, MVZF	65–150 mm	27–40 mm	RVAN18.../RVAN25...	OVA-133	

SAUTER

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
V6R	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
B6R	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
VXD	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
VXE	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
BXD	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
BXE	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
V6F	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
V6G	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
V6S	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
B6F	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
B6G	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
B6S	15–50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
VUL	10–20 mm	4 mm	RVAPC...	No adapter needed	
BUL	10–20 mm	3,7 mm	RVAPC...	No adapter needed	
VUT	10–20 mm	3/4 mm	RVAPC...	No adapter needed	
BUT	10–20 mm	3 mm	RVAPC...	No adapter needed	
VXL	10–20 mm	2,5 mm	RVAPC...	No adapter needed	
BXL	25–40 mm	2,9 mm	RVAPC...	No adapter needed	
VCL	10–32 mm	2,8 / 3,5 / 4 mm	RVAPC...	No adapter needed	

TAC + SCHNEIDER



OVA-131



OVA-031



OVA-231

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
STL	20–65 mm	31.5 mm	RVAN18...	OVA-031	
STL-SR	20–65 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V241	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V341	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V353	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V231	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V232	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V298	20–40 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V211	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V211T	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V282	20–32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V282	40–50 mm	31.5 mm	RVAN18...	OVA-031	
V282	15 mm	15 mm	RVAN18...	OVA-031	
VG211	15–50 mm	16.5/25 mm	RVAN5.../RVAN10...	OVA-131	
VG221F	65 mm	25 mm	RVAN10...	OVA-131	
VG221F	80–150 mm	45 mm	RVAN18.../RVAN25...	OVA-031	
VG222	65–150 mm	25/45 mm	RVAN18.../RVAN25...	OVA-031	
VG311F	65 mm	25 mm	RVAN10...	OVA-131	
VG311F	65–150 mm	25/45 mm	RVAN18.../RVAN25...	OVA-031	
VG321	65–150 mm	25–45 mm	RVAN18.../RVAN25...	OVA-031	
V311	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V311T	15–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V212	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V212T	25–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V395	40–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V395	65–100 mm	30/39.5 mm	RVAN18.../RVAN25...	OVA-031	
V265	40–100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031	
V221	65–100 mm	30/39.5 mm	RVAN18.../RVAN25...	OVA-031	
V384	20–32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V384	40–50 mm	31.5 mm	RVAN18...	OVA-031	
V384	15 mm	15 mm	RVAN5...	OVA-231	
V386	20–32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V386	40–50 mm	31.5 mm	RVAN18...	OVA-031	
V386	15 mm	15 mm	RVAN5...	OVA-231	
V392	20–32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V392	40–50 mm	31.5 mm	RVAN18...	OVA-031	
V392	15 mm	15 mm	RVAN5...	OVA-231	
V394	20–50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V394	40–53 mm	31.5 mm	RVAN18...	OVA-031	
V394	15 mm	15 mm	RVAN5...	OVA-231	
V292	20–32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V292	40–100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031	
V292	15 mm	15 mm	RVAN5...	OVA-231	
V294	20–32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V294	15 mm	15 mm	RVAN5	OVA-231	



OVA-031

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
V295	20–32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V295	40–100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031	
V222	65–100 mm	30 mm	RVAN18...	OVA-031	
V321	65–100 mm	30 mm	RVAN18...	OVA-031	
VZ28/VZ28C	15–20 mm	2,5 mm	RVAPC...	No adapter needed	
VZ38/VZ38C	15–20 mm	2,5 mm	RVAPC...	No adapter needed	
VZ48/VZ48C	15–20 mm	2,5 mm	RVAPC...	No adapter needed	



OVA-131

WATTS INDUSTRIES

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
2131	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
3131	15–25 mm	2,5 mm	RVAPC...	No adapter needed	
4131	15–25 mm	2,5 mm	RVAPC...	No adapter needed	



OVA-FM25

WSE/NORSHUNT

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
FM25	25 mm	23.5 mm	RVAN5.../RVAN10...	OVA-FM25	
FM50	50 mm	37.5 mm	RVAN18...	OVA-FM50	



OVA-FM50